

प्रत्यक्ष करों की राष्ट्रीय अकादमी (क्षेत्रीयपरिसर) 16, ग्रीम्सरोड बि.स.न.ल बिल्डिंग तीसरी मंज़िल चैनै – 600006 दरभाष: 04428285696

दूरभाष: 04428295686 फैक्स : 044 28295686 National Academy of Direct Taxes
(Regional Campus - Chennai)
16, Greams Road
B S N L Building III floor
Chennai- 600006
<u>Tel:044</u> 28295686
Fax:044 28295686
Email: dtrtichennai@gmail.com

27.04.2023

S.F.No.115/LOCAL PURCHASE/NADT-RC,CHE/2023-24

NOTICE INVITING TENDER

FOR PROVIDING APPLE MAC DESKTOP AT THE OFFICE OF THE ADDITIONAL DIRECTOR
GENERAL, NATIONAL ACADEMY OF DIRECT TAXES-REGIONAL CAMPUS, CHENNAL

TheNational Academy of Direct Taxes-Regional Campus, Chennai invites tenders from reputed firms/agencies engaged in the business of providing one number of Apple MAC desktop - Customized version with the specified configuration for this office purpose. Tender forms along with terms and conditions can be downloaded from the web site www.tnincometax.gov.in and Central Public Procurement Portal (CPPP) and filled-in tender form can be submitted from 28/04/2023 (10:00 AM) to 07/04/2023(5:00 PM) at the Administrative Officer, O/o. The Additional Director General, National Academy of Direct Taxes - Regional Campus, 3rd Floor, Tower 1, BSNL Building, Greams Road, Chennai – 600 006.

(K.RAVICHANDRAN), Administrative Officer, O/o.ADG, NADT-RC, Chennai.

<u>Technical Specification</u> - <u>Apple MAC desktop - Customized version</u>

1	Operating System	mac OS Ventura
		Apple M1 Max chip 10-core CPU with 8 performance cores and 2 efficiency cores
	and the best fitting to	24-core GPU
		16-core Neural Engine
	Processor	400GB/s memory bandwidth
3	Processor Family	M1 chip Apple
4	Memory	32GB unified memory.
5	Storage	2TB SSD
6	Video Support	Simultaneously supports up to five displays: Support for up to four Pro Display XDRs (6K resolution at 60Hz and over a billion colours) over USB-C and one 4K display (4K resolution at 60Hz and over a billion colours) over HDMI Thunderbolt 4 digital video output supports Native DisplayPort output over USB-C Thunderbolt 2, DVI and VGA output supported using adapters (sold separately) HDMI display video output Support for one display with up to 4K resolution at 60Hz DVI output using HDMI to DVI Adapter (sold separately)
7	Audio	Built-in speaker 3.5 mm headphone jack with advanced support for high- impedance headphones HDMI port supports multi-channel audio output
8	In/out Ports	Yealonast seel per
9	III/OUCT OTCS	Four Thunderbolt 4 ports with support for:
9	TE Cold of the a	Thunderbolt 4 (up to 40 Gbps)
		DisplayPort
		USB 4 (up to 40 Gbps)
		USB 3.1 Gen 2 (up to 10 Gbps)
	16 -5-0-103-13501 May	Two USB-A ports (up to 5 Gbps)
		HDMI port
		10Gb Ethernet
	In/out Ports Rear	3.5 mm headphone jack
10		Two USB-C ports (up to 10 Gbps)
	In/out Ports Front	SDXC card slot (UHS-II)

11		Wi-Fi
		802.11ax Wi-Fi 6 wireless networking
		IEEE 802.11a/b/g/n/ac compatible
	I many has made a	Bluetooth
		Bluetooth 5.0 wireless technology
		Ethernet
		10Gb Ethernet (Nbase-T Ethernet with support for 1Gb,
	Communication	
12	Communication	2.5Gb, 5Gb and 10Gb Ethernet using RJ-45 connector)
12	A MANAGEMENT OF STATE OF	Height: 9.50 cm (3.7 inches)
		Width: 19.70 cm (7.7 inches)
		Depth: 19.70 cm (7.7 inches)
	Dimension and Mai La	Weight (M1 Max): 2.70 kg
13	Dimension and Weight	Weight (M1 Ultra): 3.62 kg
12		Line voltage: 100–240V AC
		Frequency: 50Hz to 60Hz, single phase
	ine displays:	Maximum continuous power: 370W
	May Kings (6K resolutional)	Operating temperature: 10° to 35° C (50° to 95° F)
	USE Cand one 4K display	Storage temperature: -40° to 47° C (-40° to 116° F)
	Electrical	Relative humidity: 5% to 90% non-condensing
14		Operating altitude: tested up to 5,000 metres (16,400 fee
15	Pre Installed Software	Final Cut Pro
13	Kouhaand	Magic Keyboard with Touch ID and Numeric Keypad for M
16	Keyboard	computers with Apple silicon
	Mouse	Magic Mouse - White Multi-Touch Surface
17	THE REPORT HERE	5K Retina display
	Helenbook Not to MisbA	68.29 cm / 27-inch (diagonal) 5K Retina display
		5120x2880 resolution at 218 pixels per inch
	and the suppose the same of	600 nits brightness
		Support for 1 billion colours
	Barrier Charles Page	Wide colour (P3)
		True Tone technology. Camera
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
		12MP Ultra Wide camera with 122° field of view f/2.4 aperture
		Centre Stage.
		Audio
		High-fidelity six-speaker system with force-cancelling
		woofers
		Wide stereo sound.
		Connections
	The state of the s	One Thunderbolt 3 (USB-C) port, three USB-C ports
		One upstream Thunderbolt 3 (USB-C) port for host (with
		96W host charging)
		Three downstream USB-C ports (up to 10 Gbps).
		Stand
		Tilt-adjustable stand
	Monitor	Tilt: −5° to +25°
18	Warranty	Limited One Year Standard Warranty

Special terms and conditions for category Desktop Computers:

As per notification of MEITY circulated vide letter no.F.No.33(1)/2017-IPHW, dated: 14/09/2017, the minimum local content should be 45 percent to qualify as local or domestic manufacturer. Seller has to ensure that operating system software etc comes preloaded with machine from respective bidders. Any deviation in respect of equinity and authenticity of OS will attract server penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of MAC/Microsoft before accepting machine to avoid complexity at latter stage.

Bid specific Additional Terms and Conditions:

- 1. Availability of service centers: Bidder must have a Functional service center in the state of each consignee's location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder shall have to establish one within 30days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. ISO:9001: The bidder of the offered products must have ISO 9001 certification.
- 3. Dedicated/toll Free Telephone No. for service support: Bidder/OEM must have dedicated/toll free telephone number for service support.
- 4. Escalation Matrix for service support: Bidder must provide escalation matrix of telephone numbers for service support.

(K.RAVICHANDRAN), Administrative Officer, O/o.ADG, NADT-RC, Chennai.



राष्ट्रीय प्रत्यक्ष कर अकादमी (क्षेत्रीयपरिसर) 16, ग्रीम्सरोड बि. स. न. ल बिल्डिंग तीसरी मंजिल चैनै - 600006 द्रभाष: 04428295686

फैक्स : 044 28295686

National Academy of Direct Taxes (Regional Campus - Chennai) 16, Greams Road **BSNL Building III floor** Chennai- 600006 Tel:044 28295686 Fax:044 28295686

Email: dtrtichennai@gmail.com

एस ऍफ़ सं 115/ स्थानीय क्रय /रा प्र कर अका- क्षेकें, चेन्नै / 2023-24

27.04.2023

निविदा आमंत्रित करने हेतु परिपत्र

आयकर अपर महानिदेशककेंद्रीय प्रत्यक्ष , कर अकादमीचेन्नै के कार्यालय में एप्पल मैक , क्षेत्रीय परिसर , डेस्कटॉप उपलब्धकराने हेत्।

केंद्रीय प्रत्यक्ष कर अकादमीएजेंसियों से निविदा /चेन्नै कार्यालय प्रयोग हेतु ऐसी प्रतिष्ठित फर्म, क्षेत्रीय परिसर , आमंत्रित करता है जो विशिष्ट सुविधाओं सहित कस्टमाइज्ड रूप का एक एप्पल मैक डेस्कटॉप उपलब्ध कराने का व्यापार करती हों नियम एवं ।शर्तों सहित निविदा फॉर्म tn.incometax.gov.in और केंद्रीय सार्वजनिक खरीद पोर्टल से डाउनलोड किया जा सकता है (.पी.पी.पी.सी) और भरा हुआ निविदा फॉर्म दिनांक 2023/04/28 , आयकर अपर महानिदेशक , तक प्रशासनिक अधिकारी (05:00) सांय 2023/04/07 से (10:00) प्रातः 3 , चेन्नै का कार्यालय, क्षेत्रीय परिसर , केंद्रीय प्रत्यक्ष कर अकादमीतल , 1 टावर , बी एस एन एल भावन , । को जमा किया जा सकता है 600006- चेन्नै , ग्रीम्स रोड

प्रशासनिक अधिकारी

आयकर अपर महानिदेशकचेन्नै का कार्यालय, परि.क्षे.अ.क.प्र.कें,

Technical Specification - Apple MAC desktop - Customized version

1	Operating System	mac OS Ventura
2	Reservation of the second	Apple M1 Max chip
343	PALESTON LIAZ V	10-core CPU with 8 performance cores and 2 efficiency cores
		24-core GPU
		16-core Neural Engine
-	Processor	400GB/s memory bandwidth
3	Processor Family	M1 chip Apple
4	Memory	32GB unified memory.
5	Storage	2TB SSD
6		Simultaneously supports up to five displays:
		Support for up to four Pro Display XDRs (6K resolution at 60Hz
		and over a billion colours) over USB-C and one 4K display (4K
	A STATE OF THE STA	resolution at 60Hz and over a billion colours) over HDMI
		Thunderbolt 4 digital video output supports
		Native DisplayPort output over USB-C
	TO THE OWNER OF	Thunderbolt 2, DVI and VGA output supported using adapters
		(sold separately)
	Andrew Marie	HDMI display video output
	The state of the s	Support for one display with up to 4K resolution at 60Hz
	Video Support	DVI output using HDMI to DVI Adapter (sold separately)
7		Built-in speaker
		3.5 mm headphone jack with advanced support for high-
		impedance neadphones
	Audio	HDMI port supports multi-channel audio output
3	In/out Ports	and output
)		Four Thunderbolt 4 ports with support for:
		Thunderbolt 4 (up to 40 Gbps)
		DisplayPort
		USB 4 (up to 40 Gbps)
		USB 3.1 Gen 2 (up to 10 Gbps)
		Two USB-A ports (up to 5 Gbps)
		HDMI port
		10Gb Ethernet
	In/out Ports Rear	3.5 mm headphone jack
0		Two USB-C ports (up to 10 Gbps)
	In/out Ports Front	SDXC card slot (UHS-II)

18	Warranty	Limited One Year Standard Warranty
	Monitor	Tilt: -5° to +25°
		Stand Tilt-adjustable stand
		Three downstream USB-C ports (up to 10 Gbps).
		96W host charging)
		One Thunderbolt 3 (USB-C) port, three USB-C ports One upstream Thunderbolt 3 (USB-C) port for host (with
		Connections The standard Clish Connect throad ISB-C ports
		Wide stereo sound.
		woofers
		High-fidelity six-speaker system with force-cancelling
		Audio
		Centre Stage.
		f/2.4 aperture
		12MP Ultra Wide camera with 122° field of view
		Camera
		Wide colour (P3) True Tone technology.
		Support for 1 billion colours
		600 nits brightness
		5120x2880 resolution at 218 pixels per inch
	Colombod to backets	68.29 cm / 27-inch (diagonal) 5K Retina display
17		5K Retina display
16	Mouse	Magic Mouse - White Multi-Touch Surface
	Keyboard	computers with Apple silicon
15		Magic Keyboard with Touch ID and Numeric Keypad for Mac
14	Pre Installed Software	Final Cut Pro
	Electrical	Operating altitude: tested up to 5,000 metres (16,400 feet)
	TO DESCRIPTION OF THE PARTY OF	Relative humidity: 5% to 90% non-condensing
	HIN A TERROR WAS V.	Storage temperature: -40° to 47° C (-40° to 116° F)
		Operating temperature: 10° to 35° C (50° to 95° F)
		Maximum continuous power: 370W
		Frequency: 50Hz to 60Hz, single phase
13	The street of th	Line voltage: 100–240V AC
	Dimension and Weight	Weight (M1 Max): 2.70 kg Weight (M1 Ultra): 3.62 kg
		Depth: 19.70 cm (7.7 inches)
		Width: 19.70 cm (7.7 inches)
12		Height: 9.50 cm (3.7 inches)
12	Communication	2.3Gb, 3Gb and 10Gb Ethernet using RJ-45 connector)
	Community	10Gb Ethernet (Nbase-T Ethernet with support for 1Gb,
	the contract of	Ethernet
		Bluetooth 5.0 wireless technology
		Bluetooth
		802.11ax Wi-Fi 6 wireless networking IEEE 802.11a/b/g/n/ac compatible
	1	1 004.11dx WI-FI D WIROLOGG Mat. II

डेस्कटॉप कम्पयूटरों के लिए विशेष नियम एवं शर्तें

दिनांक 14/09/2017 के पत्र फाइल संख्या 33(1)/2017-IPHW, द्वारा परिचालित एमइआईटी की अधिसूचना के अनुसार स्थानीय या घरेलू निर्माता होने के लिए न्यूनतम स्थानीय विषय 45 प्रतिशत होना चाहिए । विक्रेता को सम्बंधित बोलीकर्ता से यह सुनिश्चित करना होगा कि ऑपरेटिंग सिस्टम का सॉफ्टवेयर आदि मशीन में पूर्वलोडेड है। ऑपरेटिंग सिस्टम में कोई भी अश्वत्व या प्रामाणिकता की असामान्यता विक्रेता को विधि अनुसार एवं ठेके के प्रावधानों कठोर दंड का भागी होगा । क्रेता को भी मशीन को लेने से पहले ऑपरेटिंग सिस्टम आदि के की संख्या को एम एससी / माइक्रोसॉफ्ट के साथ मिला लेना चाहिए ताकि बाद में दिक्कतों का सामना न करना पड़े।

बोली के लिए अतिरिक्त नियम एवं शर्तें

- 1. सेवा केन्द्रों की उपलब्धता : बोलीकर्ता को वारंटी होने की स्थिति में प्रत्येक प्राप्तकर्ता के स्थान पर प्रकार्यात्मक सेवा केंद्र होना चाहिए (यह ऑन साईट सामग्री के लिए लागू नहीं है) यदि बोली लगते समय सेवा केंद्र नहीं है तो सफल बोलीकर्ता को ठेके के मिलने के 30 दिनों के भीतर एक स्थापित करना होगा । प्रकार्यात्मक सेवा केंद्र के दस्तावेजी साक्ष्य की प्रस्तुति के बाद ही भुगतान दिया जाएगा ।
- 2. आई एस ओ 9001 : प्रस्तावित उत्पादों के बोलीकर्ता के पास आई एस ओ 9001 का प्रमाणपत्र होना चाहिए ।
- 3. सेवा समर्थन के लिए समर्पित टोल फ्री दूरभाष संख्या :बोलीकर्ता / ओईम को सेवा समर्थन के लिए समर्पित टोल फ्री दूरभाष संख्या होनी आवश्यक है ।
- 4. सेवा समर्थन की शिकायत को ऊपर तक ले जाने के लिए समर्थन : बोलीकर्ता को सेवा समर्थन हेतु शिकायत को ऊपर तक ले जाने के लिए दूरभाष संख्या देनी होगी |

(रविचंद्रन.के)

प्रशासनिक अधिकारी

आयकर अपर महानिदेशकचेन्नै का कार्यालय, परि.क्षे.अ.क.प्र.कें,